

List of Recommended and Commercially Available Plants for Florida Native Landscaping (ORH 3815/5815C-S.B. Wilson)

(updated 09/15/09)

TREES					
#	Family	Scientific Name	Common Name	Habitat ^z	Region ^z
1	Altingiaceae	<i>Liquidamber styraciflua</i>	Sweetgum	Moist to wet hammocks, bluff forests, and floodplain forests	Frequent; northern cos. South to central peninsula
2	Annonaceae	<i>Ammona glabra</i>	Pond Apple	Swamps	Occasional; Brevard, Highlands, and Manatee Cos. Southward
3	Aquifoliaceae	<i>Ilex cassine</i>	Dahoon Holly	Flatwoods, wet hammocks, swamps, and pond margins	Common; nearly throughout
4	Aquifoliaceae	<i>Ilex vomitoria</i>	Yaupon Holly	Hammocks, swamps, flatwoods, and dunes	Frequent; Northern cos. South to central peninsula
5	Burseraceae	<i>Bursera simaruba</i>	Gumbo-Limbo, Tourist Tree	Coastal hammocks and shell middens	Occasional; central and southern peninsula
6	Canellaceae	<i>Canella winterana</i>	Cinnamon Bark	Tropical hammocks	Rare; Collier, Miami-Dade, and Monroe Cos.
7	Celtidaceae	<i>Celtis laevigata</i>	Sugarberry; Hackberry	Floodplain forests	Frequent; nearly throughout
8	Clusiaceae	<i>Clusia rosea</i>	Pitch Apple	Hammocks	Rare; Miami-Dade Co. and Monroe Co. keys
9	Combretaceae	<i>Conocarpus erectus</i>	Buttonwood	Tidal swamps	Frequent; central and southern peninsula
10	Combretaceae	<i>Conocarpus erectus</i> var. <i>sericeus</i>	Silver Buttonwood		
11	Cupressaceae	<i>Juniperus virginiana</i>	Southern Red Cedar	Hammocks, coastal beaches, shell mounds	Frequent; northern cos. South to central peninsula, Miami-Dade Co.
12	Cupressaceae	<i>Taxodium distichum</i>	Bald Cypress	Lakes, swamps, floodplains, and along streams	Common; nearly throughout
13	Fabaceae	<i>Acacia choriophylla</i>	Cinnecord; Tamarindillo	Rocky Pinelands	Rare; Miami-Dade Co. and Monroe Co. keys
14	Fabaceae	<i>Acacia farnesiana</i>	Sweet Acacia	Shell middens, coastal hammocks, pinelands, and disturbed sites	Occasional; central and southern peninsula, Franklin, Bay and Escambia Cos.
15	Fagaceae	<i>Quercus laurifolia</i>	Laurel Oak; Diamond Oak	Floodplain forests, wet to dry hammocks	Common; nearly throughout
16	Fagaceae	<i>Quercus myrtifolia</i>	Myrtle Oak	Sandhills, oak scrub, flatwoods, coastal dunes	Common; nearly throughout
17	Fagaceae	<i>Quercus shumardii</i>	Shumard's Oak	Wet, rocky hammocks and floodplain forests	Occasional; northern peninsula south to Citrus and Volusia cos., west to central panhandle
18	Fagaceae	<i>Quercus virginiana</i>	Live Oak	Moist to wet hammocks and maritime hammocks	Frequent; nearly throughout
19	Juglandaceae	<i>Carya glabra</i>	Pignut Hickory	Dry to mesic hammocks	Frequent; northern cos. South to central peninsula
20	Lauraceae	<i>Persea borbonia</i>	Redbay	Wet to dry hammocks	Frequent; nearly throughout
21	Magnoliaceae	<i>Magnolia grandiflora</i>	Southern Magnolia	Wet to mesic hammocks, rarely dunes	Frequent; northern cos. South to central peninsula
22	Magnoliaceae	<i>Magnolia virginiana</i>	Sweetbay	Wet hammocks, bayheads, swamps, and bogs	Common; nearly throughout
23	Malvaceae	<i>Tilia americana</i> var. <i>caroliniana</i>	Carolina Basswood	Moist hammocks	Frequent; northern cos. South to central peninsula
24	Meliaceae	<i>Swietenia mahogani</i>	West Indian Mahogany	Coastal hammocks	Rare; Broward, Miami-Dade, and Monroe Cos.

TREES

#	Family	Scientific Name	Common Name	Habitat ^z	Region ^z
25	Myricaceae	<i>Myrica cerifera</i>	Southern Wax Myrtle	Hammocks, swamps, cypress domes, flatwoods, upland mixed forests, and fresh to slightly brackish marshes	Common; nearly throughout
26	Myrtaceae	<i>Calyptanthes pallens</i>	Spicewood, Pale Lid-flower	Hammocks	Occasional; Miami-Dade Co. and Monroe Co. keys
27	Myrtaceae	<i>Eugenia axillaris</i>	White Stopper	Coastal hammocks, rarely inland	Frequent; central and southern peninsula
28	Myrtaceae	<i>Eugenia confusa</i>	Redberry Stopper	Tropical hammocks	Rare Martin and Miami-Dade Cos., Monroe Co. keys
29	Myrtaceae	<i>Eugenia foetida</i>	Spanish Stopper	Coastal hammocks and dunes	Frequent; central and southern peninsula
30	Nyctaginaceae	<i>Guapira discolor</i>	Blolly	Tropical hammocks and pinelands	Occasional; Brevard Co. southward
31	Pinaceae	<i>Pinus elliotii</i> var. <i>densa</i>	South Florida Slash Pine	Flatwoods	Common; nearly throughout
32	Polygonaceae	<i>Coccoloba diversifolia</i>	Pigeon Plum	Tropical coastal hammocks	Occasional; Brevard and Lee cos. southward
33	Polygonaceae	<i>Coccoloba uvifera</i>	Sea Grape	Coastal hammocks and beach strands	Frequent; central and southern peninsula
34	Rosaceae	<i>Crataegus michauxii</i>	Michaux's Hawthorn	Sandhills, dry hammocks and scrub	Common; northern cos. South to central peninsula
35	Rutaceae	<i>Zanthoxylum fagara</i>	Wild Lime	Hammocks	Frequent; central and southern peninsula
36	Sapindaceae	<i>Acer rubrum</i>	Red Maple	Floodplain forests and swamps	Frequent; Nearly throughout
37	Sapotaceae	<i>Chrysophyllum oliviforme</i>	Satinleaf	Hammocks and pinelands	Occasional; Brevard Co. southward
38	Simaroubaceae	<i>Simarouba glauca</i>	Paradise Tree, Bitterwood	Coastal hammocks	Rare; Brevard Co. southward along the east coast, southern peninsula
39	Ulmaceae	<i>Ulmus alata</i>	Winged Elm	Moist to wet hammocks	Occasional; northern cos. South to Pasco Co.
40	Ulmaceae	<i>Ulmus americana</i> var. <i>floridana</i>	American Elm	Floodplain forests	Frequent; northern cos. South to central peninsula, Collier Co.
41	Verbenaceae	<i>Citharexylum spinosum</i>	Fiddlewood	Pinelands and hammocks	Occasional; Brevard Co. southward along east coast, southern peninsula
42	Zygophyllaceae	<i>Guaiacum sanctum</i>	Lignum vitae	Hammocks	Rare; Monroe Co. Keys where native, Miami-Dade Co. where escaped from cultivation

SHRUBS

#	Family	Scientific Name	Common Name	Habitat ^z	Region ^z
43	Adoxaceae	<i>Viburnum obovatum</i>	Walter's Viburnum	Floodplain forests	Common; nearly throughout
44	Asteraceae	<i>Baccharis halimifolia</i>	Salt Bush, Grousel Tree	Marshes and disturbed sites	Common; nearly throughout
45	Asteraceae	<i>Garberia heterophylla</i>	Garberia	Sand pine - oak scrub	Frequent; northern and central peninsula
46	Aquifoliaceae	<i>Ilex glabra</i>	Gallberry, Inkberry	Flatwoods, bogs, and coastal swales	Common; nearly throughout
47	Boraginaceae	<i>Cordia globosa</i>	Bloodberry, Butterfly Sage	Hammocks	Rare; Hendry, Miami-Dade and Monroe Cos.
48	Brassicaceae	<i>Capparis cynophallophora</i>	Jamaican Caper	Coastal hammocks and shell middens	Frequent; central and southern peninsula
49	Chrysobalanaceae	<i>Chrysobalanus icaco</i>	Cocoplum	Coastal hammocks and strands	Frequent; Brevard and Sarasota Cos. Southward
50	Clusiaceae	<i>Hypericum tenuifolium</i>	Atlantic St. John's Wort, Scrubwort	Sandhills and scrub	Frequent; peninsula, central and western panhandle
51	Ericaceae	<i>Lyonia ferruginea</i>	Rusty Lyonia, Rusty Staggerbush	Scrub and scrubby flatwoods	Frequent; northern cos. South to central peninsula
52	Ericaceae	<i>Vaccinium myrsinites</i>	Shiny Blueberry	Flatwoods and sandhills	Common; northern cos. South to central peninsula, Collier Co.
53	Fabaceae	<i>Erythrina herbacea</i>	Coral Bean, Cherokee Bean	Hammocks	Frequent; nearly throughout
54	Fabaceae	<i>Pithecellobium keyense</i>	Florida Keys Blackbead	Coastal hammocks and strands	Occasional; Martin and Palm Beach Cos., southern peninsula
55	Fabaceae	<i>Senna ligustrina</i>	Privetleaf Senna	Hammocks and disturbed sites	Frequent; central and southern peninsula
56	Fabaceae	<i>Senna mexicana</i> var. <i>chapmanii</i>	Chapman's Senna	Pinelands, hammocks, dunes	Occasional; Miami-Dade Co. and Monroe Co. keys
57	Fabaceae	<i>Sophora tomentosa</i> var. <i>truncata</i>	Necklace pod	Coastal strands and hammocks	Frequent; central and southern peninsula
58	Illiciaceae	<i>Illicium floridanum</i>	Florida Anise	Seepage and creek swamps	Occasional; central and western panhandle
59	Illiciaceae	<i>Illicium parviflorum</i>	Yellow Anise	Wet hammocks and swamps	Rare; Marion and Volusia cos. South to Polk Co.
60	Iteaceae	<i>Itea virginica</i>	Virginia Sweetpire	Swamps, streams banks, wet hammocks, and floodplain forests	Common; nearly throughout
61	Lamiaceae	<i>Callicarpa americana</i>	Beautyberry	Flatwoods and hammocks	Common; nearly throughout
62	Malpighiaceae	<i>Byrsonima lucida</i>	Locustberry	Rocky pinelands and hammocks	Rare; Miami-Dade and Monroe Cos.
63	Malvaceae	<i>Gossypium hirsutum</i>	Wild Cotton	Coastal hammocks, beaches, or disturbed sites	Occasional; Gilchrist Co., central and southern peninsula
64	Malvaceae	<i>Hibiscus coccineus</i>	Red Star Hibiscus, Scarlet Rosemallow	Swamps	Occasional; peninsula, central panhandle, Okaloosa Co.
65	Malvaceae	<i>Melochia tomentosa</i>	Teabush, Grayleaf, Broomwood	Pine rocklands and disturbed sites	Rare; St. Lucie and Miami-Dade Cos.
66	Melastomataceae	<i>Tetrazygia bicolor</i>	Florida Tetrazygia, West Indies Lilac	Tropical hammock and pinelands	Frequent; Miami-Dade Co.
67	Myrsinaceae	<i>Ardisia escallonioides</i>	Marlberry	Hammocks	Frequent; Flagler Co., central and southern peninsula
68	Myrsinaceae	<i>Rapanea punctata</i>	Myrsine	Hammocks, primarily coastal	Frequent; Dixie Co. central and southern peninsula
69	Myrtaceae	<i>Myrcianthes fragrans</i>	Simpson's Stopper; Twinberry	Coastal hammocks, rarely inland	Occasional; St. Johns Co., central and southern peninsula
70	Oleaceae	<i>Forestiera segregata</i>	Wild Olive, Florida Privet	Coastal hammocks, marshes, shell middens, and pinelands	Frequent; peninsula, Dixie Co.
71	Petiveriaceae	<i>Rivina humilis</i>	Rougeplant	Hammocks	Frequent; Peninsula
72	Picramniaceae	<i>Picramnia pentandra</i>	Bitterbush	Hammocks	Rare; Miami-Dade Co.
73	Plumbaginaceae	<i>Plumbago zeylanica</i>	Leadwort, Doctorbush	Coastal hammocks	Occasional; central and southern peninsula
74	Rubiaceae	<i>Cephalanthus occidentalis</i>	Buttonbush	Swamps, cypress ponds, and lake, pond, and river margins	Common; nearly throughout

SHRUBS

#	Family	Scientific Name	Common Name	Habitat ^z	Region ^z
75	Rubiaceae	<i>Chiococca alba</i>	Snowberry	Coastal hammocks, pinelands, and shell middens	Frequent; peninsula, Dixie Co.
76	Rubiaceae	<i>Hamelia patens</i>	Firebush	Coastal hammocks and shell middens, rarely inland	Frequent; central and southern peninsula
77	Rubiaceae	<i>Psychotria ligustrifolia</i>	Bahama Wild Coffee, Privetleaf Wild Coffee	Rocky hammocks and Pinelands	Rare; Miami-Dade Co. and Monore Co. keys.
78	Rubiaceae	<i>Psychotria nervosa</i>	Wild Coffee	Hammocks	Common; Peninsula
79	Rubiaceae	<i>Psychotria sulzneri</i>	Velvetleaf Wild Coffee, Soft leaf Wild Coffee	hammocks	Frequent; central and southern peninsula
80	Rubiaceae	<i>Randia aculeata</i>	White Indigo Berry	Coastal hammocks	Frequent; central and southern Peninsula
81	Sapindaceae	<i>Dodonaea viscosa</i>	Varnish Leaf	Dunes, coastal pinelands, and hammocks	Occasional; St. Johns Co., central and southern peninsula
82	Sapotaceae	<i>Sideroxylon tenax</i>	Tough Bumelia	Sandhills, scrub, and coastal hammocks	Frequent; peninsula
83	Solanaceae	<i>Lycium carolinianum</i>	Christmas Berry	Salt marshes and salt flats	Frequent; peninsula west to central panhandle
84	Surianaceae	<i>Suriana maritima</i>	Bay Cedar	Coastal beaches and dunes	Occasional; Pinellas and Indian River cos. Southward along the coast, southern peninsula
85	Verbenaceae	<i>Lantana depressa</i>	Pineland Lantana	Rocky pinelands	Rare; Miami-Dade Co.
86	Verbenaceae	<i>Lantana involucrata</i>	Wild Lantana, Wild Sage	Coastal hammocks and dunes	Occasional; central and southern peninsula
87	Verbenaceae	<i>Stachytarpheta jamaicensis</i>	Blue Porterweed	Dunes, shell middens, pine rocklands and disturbed sites	Occasional; Central and southern peninsula

Herbaceous Annuals/Perennials/Wildflowers

#	Family	Scientific Name	Common Name	Habitat ^z	Region ^z
88	Acanthaceae	<i>Dyschoriste oblongifolia</i>	Twin Flower	Sandhills and flatwoods	Common; Peninsula west to central panhandle
89	Acanthaceae	<i>Ruellia caroliniensis</i>	Wild Petunia	Sandhills, flatwoods, and hammocks	Common; nearly throughout
90	Agavaceae	<i>Yucca filamentosa</i>	Adam's Needle	Sandhills and dry bluff forests	Frequent; northern cos. south to central peninsula
91	Amaryllidaceae	<i>Crinum americanum</i>	String Lily, Swamp Lily	Swamps, marshes, and wet hammocks	Frequent; nearly throughout
92	Amaryllidaceae	<i>Hymenocallis latifolia</i>	Spider Lily	Coastal dunes and swales, mangrove swamps, sand ridges and flatwoods	Frequent; central and southern peninsula
93	Amaryllidaceae	<i>Zephyranthes atamasca</i> var. <i>treatiae</i>	Zephyr Lily, Atamasco Lily, Rain Lily	Moist hammocks, flatwoods and meadows	Frequent; northern cos., Hernando Co.
94	Apocynaceae	<i>Asclepias tuberosa</i>	Butterfly Weed	Flatwoods and sandhills	Common; nearly throughout
95	Asteraceae	<i>Berlandiera subacaulis</i>	Florida Greeneyes	Sandhills	Common; Peninsula west to central panhandle
96	Asteraceae	<i>Borrchia frutescens</i>	Sea Ox-eye Daisy	Beaches and salt marshes	Common; peninsula west to central panhandle, Santa Rosa Co.
97	Asteraceae	<i>Carphephorus corymbosus</i>	Florida Paintbrush	Sandhills	Common; peninsula, west to eastern panhandle, Bay Co.
98	Asteraceae	<i>Chrysopsis mariana</i>	Maryland Golden Aster	Flatwoods and sandhills	Frequent; northern cos. south to central peninsula, Collier Co.
99	Asteraceae	<i>Conoclinium coelestinum</i>	Ageratum, Mistflower	Floodplain forests, wet hammocks and pond margins	Common; nearly throughout
100	Asteraceae	<i>Coreopsis leavenworthii</i>	Tickseed Coreopsis	Wet flatwoods, ditches, and disturbed sites	Common; nearly throughout
101	Asteraceae	<i>Echinacea purpurea</i>	Purple Coneflower	Openings in calcareous hammocks	Rare; Gadsden Co.
102	Asteraceae	<i>Flaveria linearis</i>	Yellowtop	Open coastal areas, rarely inland	Frequent; Flagler Co., central and southern peninsula, Taylor and Wakulla Cos.
103	Asteraceae	<i>Gaillardia pulchella</i>	Blanket Flower, Firewheel	Disturbed sites	Frequent; nearly throughout
104	Asteraceae	<i>Helianthus angustifolius</i>	Swamp Sunflower, Narrow-leaf Sunflower	Marshes, wet flatwoods, and disturbed sites	Frequent; northern cos. South to central peninsula
105	Asteraceae	<i>Helianthus debilis</i>	Beach Sunflower, Dune Sunflower	Coastal dunes	Frequent; eastern peninsula
106	Asteraceae	<i>Liatis gracilis</i>	Blazing Star	Sandhills and flatwoods	Common; nearly throughout
107	Asteraceae	<i>Pityopsis graminifolia</i>	Silkgrass, Silver-leaved Aster, Golden Aster	Scrub and sandhills	Common; nearly throughout
108	Asteraceae	<i>Rudbeckia hirta</i>	Black-eyed Susan	Sandhills, flatwoods, and open disturbed sites	Common; nearly throughout
109	Asteraceae	<i>Silphium asteriscus</i>	Starry Rosinweed	Sandhills	Occasional; panhandle, western central peninsula
110	Asteraceae	<i>Solidago sempervirens</i>	Seaside Goldenrod	Dunes and tidal marshes, Rarely inland	Common; peninsula, central and western panhandle
111	Asteraceae	<i>Stokesia laevis</i>	Stokes' Aster, Stokesia	Wet flatwoods and savannas, bogs, and seepage areas	Occasional; Nassau Co., central and western panhandle
112	Asteraceae	<i>Vernonia gigantea</i>	Giant Ironweed	Hammocks and floodplains	Common; northern cos. south to central peninsula
113	Boraginaceae	<i>Heliotropium angiospermum</i>	Scorpion's Tail	Hammocks, shell middens, and disturbed sites	Frequent; central and southern peninsula
114	Campanulaceae	<i>Lobelia cardinalis</i>	Cardinal Flower	Floodplains forests and spring runs	Occasional; northern cos. south to Hillsborough Co.
115	Commelinaceae	<i>Tradescantia ohiensis</i>	Spiderwort	Open disturbed sites	Frequent; northern cos. south to central peninsula
116	Fabaceae	<i>Chamaecrista fasciculata</i>	Partridge Pea	Sandhills, open hammocks, flatwoods, dunes, and disturbed sites	Common; nearly throughout
117	Fabaceae	<i>Dalea feayi</i>	Feay's Prairie Clover	Scrub and sandhills	Frequent; peninsula, central panhandle

Herbaceous Annuals/Perennials/Wildflowers

#	Family	Scientific Name	Common Name	Habitat ^z	Region ^z
118	Gentianaceae	<i>Eustoma exaltatum</i>	Seaside Gentian	Coastal marshes and dunes	Frequent; central and southern peninsula, Escambia Co.
119	Iridaceae	<i>Sisyrinchium angustifolium</i>	Blue-eyed Grass	Wet, grassy flatwoods, wet prairies, and fields	Common; nearly throughout
120	Lamiaceae	<i>Monarda punctata</i>	Monarda, Horsemint	Flatwoods and dry, disturbed sites	Frequent; northern cos. South to central peninsula Collier Co.
121	Lamiaceae	<i>Physostegia purpurea</i>	False Dragonhead, Obedient Plant	Marshes and swamps	Frequent; peninsula west to central panhandle
122	Lamiaceae	<i>Salvia coccinea</i>	Tropical Sage	Hammocks and disturbed sites	Frequent; nearly throughout
123	Lamiaceae	<i>Salvia lyrata</i>	Lyre-leaf Sage	Hammocks	Common; northern cos. south to central peninsula, Collier Co.
124	Verbenaceae	<i>Glandularia maritima</i>	Beach Verbena, Coastal Mock Vervain	Dunes and coastal pinelands	Occasional; Flagler Co. central and southern peninsula, mainly along the east coast
125	Verbenaceae	<i>Glandularia tampensis</i>	Tampa Verbena, Tampa Mock Vervain	Clearings in moist hammocks	Occasional; central peninsula
126	Veronicaceae	<i>Penstemon multiflorus</i>	Many-flowered Beardtongue, White Penstemon	Sandhills and flatwoods	Frequent; nearly throughout

VINES/GROUNDCOVERS

#	Family	Scientific Name	Common Name	Habitat ^z	Region ^z
127	Aizoaceae	<i>Sesuvium portulacastrum</i>	Sea Purslane	Dunes, brackish marshes, and salt flats	Frequent; peninsula, central and western panhandle
128	Apocynaceae	<i>Pentalinon lutea</i>	Wild Allamanda	Mangroves and coastal hammocks	Occasional; St. Lucie, Martin, Palm Beach and Lee Cos. southern peninsula
129	Asteraceae	<i>Symphotrichum carolinianum</i>	Climbing Aster	Swamps and riverbanks	Common; peninsula, west to central panhandle
130	Bignoniaceae	<i>Bignonia capreolata</i>	Cross Vine	Floodplain forests and wet hammocks	Frequent; northern cos. south to central peninsula
131	Brassicaceae	<i>Capparis flexuosa</i>	Limber Caper	Coastal hammocks and shell middens	Occasional; central and southern peninsula
132	Caprifoliaceae	<i>Lonicera sempervirens</i>	Coral Honeysuckle	Floodplain forests and hammocks	Common; northern cos. south to central peninsula
133	Chrysobalanaceae	<i>Licania michauxii</i>	Gopher Apple	Sandhills	Common; nearly throughout
134	Convolvulaceae	<i>Ipomoea imperati</i>	Beach Morning Glory	Beaches	Frequent; peninsula, central and western panhandle
135	Convolvulaceae	<i>Ipomoea pes-caprae</i>	Railroad Vine	Beaches	Frequent; peninsula, central panhandle
136	Convolvulaceae	<i>Jacquemontia pentanthos</i>	Key West Morning Glory, Sky Blue Clustervine	Hammocks	Rare
137	Fabaceae	<i>Canavalia rosea</i>	Beach Bean, Bay Bean	Coastal strands	Frequent; Dixie Co., central and southern peninsula
138	Fabaceae	<i>Mimosa strigillosa</i>	Mimosa, Sensitive Plant	Open, usually disturbed sites	Occasional; northern and central peninsula, west to central panhandle
139	Gelsemiaceae	<i>Gelsemium sempervirens</i>	Carolina Yellow Jessamine	Flatwoods and hammocks	Frequent; northern cos. South to central peninsula
140	Passifloraceae	<i>Passiflora suberosa</i>	Corky-stemmed Passion-flower	Hammocks and shell middens	Frequent; peninsula, Dixie Co.
141	Rubiaceae	<i>Ernodea littoralis</i>	Golden Creeper, Beach Creeper	Dunes	Frequent; central and southern peninsula

FERNS

#	Family	Scientific Name	Common Name	Habitat ^z	Region ^z
142	Pteridaceae	<i>Acrostichum danaeifolium</i>	Leather Fern	Freshwater and brackish swamps and marshes	Frequent; St. Johns, Putnam, and Dixie Cos., central and southern peninsula
143	Blechnaceae	<i>Blechnum serrulatum</i>	Swamp Fern	Swamps, marshes, wet prairies, and hammocks	Common; peninsula, Bay Co.
144	Dennstaedtiaceae	<i>Pteridium aquilinum</i> (3 varieties occur in our area)	Bracken Fern	Dry to moist, open hammocks, flatwoods, thickets and scrub Habitats vary due to variety	Varies; dependent on variety
145	Dryopteridaceae	<i>Ctenitis sloanei</i>	Florida Tree Fern	Moist tropical hammocks; often on exposed limestone	Occasional; Manatee and Polk cos., southern peninsula
146	Nephrolepidaceae	<i>Nephrolepis biserrata</i>	Giant Sword Fern	Swamps and wet hammocks, sometimes epiphytic	Occasional; central and southern peninsula
147	Nephrolepidaceae	<i>Nephrolepis exaltata</i>	Wild Boston Fern, Sword Fern	Wet hammocks and swamps; often epiphytic	Common; central and southern peninsula, Duval, Suwannee and Leon Cos.
148	Osmundaceae	<i>Osmunda cinnamomea</i>	Cinnamon Fern	Swamps, bogs, and marshes	Common; nearly throughout
149	Osmundaceae	<i>Osmunda regalis</i> var. <i>spectabilis</i>	Royal Fern	Swamps, bogs, and marshes	Common; nearly throughout
150	Polypodiaceae	<i>Campyloneurum phyllitidis</i>	Long Strap Fern	Hammocks and swamps; epiphytic or sometimes on walls of limestone sinkholes	Occasional; central and southern peninsula
151	Polypodiaceae	<i>Phlebodium aureum</i>	Golden Polypody, Serpent Fern	Hammocks and swamps; epiphytic, often on Sabal palmetto, rarely terrestrial	Frequent; peninsula, Dixie and Franklin Cos.

PALMS/CYCADS

#	Family	Scientific Name	Common Name	Habitat ^z	Region ^z
152	Arecaceae	<i>Acoelorrhaphe wrightii</i>	Paurotis Palm, Everglades Palm	Swamps and everglades hammocks	Rare; Collier, Miami-Dade, and Monroe Cos.
153	Arecaceae	<i>Coccothrinax argentata</i>	Silver Palm	Rocky pinelands and coastal hammock	Rare; Palm Beach, Broward, Miami-Dade, and Monroe Cos.
154	Arecaceae	<i>Pseudophoenix sargentii</i>	Buccaneer Palm, Sargent's Cherry Palm	Coastal thickets on limestone	Rare; Miami-Dade Co. and Monroe Co. keys
155	Arecaceae	<i>Rhapidothylum hystrix</i>	Needle Palm	Wet to mesic hammocks	Occasional; northern cos. South to Highlands Co.
156	Arecaceae	<i>Roystonea regia</i>	Florida Royal Palm	Swamps and cypress sloughs	Rare; Palm Beach, Collier and Miami-Dade Cos.
157	Arecaceae	<i>Sabal etonia</i>	Scrub Palmetto	Scrub	Frequent; peninsula
158	Arecaceae	<i>Sabal minor</i>	Dwarf Palmetto	Moist to wet hammocks	Frequent; northern cos. South to central peninsula
159	Arecaceae	<i>Sabal palmetto</i>	Sabal Palmetto, Cabbage Palm	Savannas, hammocks, and swamps	Common; nearly throughout
160	Arecaceae	<i>Serenoa repens</i>	Saw Palmetto	Wet to dry flatwoods and hammocks	Common; nearly throughout
161	Arecaceae	<i>Thrinax morrisii</i>	Key Thatch Palm, Brittle Thatch Palm	Hammocks	Rare; Miami-Dade and Monroe Cos.
162	Arecaceae	<i>Thrinax radiata</i>	Florida Thatch Palm	Coastal thickets on limestone	Rare; Collier, Miami-Dade, and Monroe Cos.
163	Zamiaceae	<i>Zamia pumila</i>	Coontie	Oak hammocks, pinelands, and shell middens	Occasional; peninsula, west to Taylor Co.

GRASSES/SEDGES

#	Family	Scientific Name	Common Name	Habitat ^z	Region ^z
164	Cyperaceae	<i>Rhynchospora colorata</i>	White Topped Sedge, Starrush Whitetop	Moist flatwoods and prairies, bogs, and ditches	Common; nearly throughout
165	Poaceae	<i>Andropogon brachystachyus</i>	Shortspike Bluestem	Wet flatwoods, bogs, and pond margins	Common; peninsula west to central panhandle
166	Poaceae	<i>Eragrostis elliotii</i>	Elliott's Love Grass	Flatwoods, sandhills, prairies, dry hammocks, and disturbed sites.	Common; nearly throughout
167	Poaceae	<i>Eragrostis spectabilis</i>	Purple Lovegrass	Flatwoods, sandhills, lake shores, and disturbed sites	Frequent; nearly throughout
168	Poaceae	<i>Muhlenbergia capillaris</i>	Pink Muhlygrass, Muhley grass	Flatwoods and Marshes	Frequent; nearly throughout, mainly coastal areas
169	Poaceae	<i>Sorghastrum secundum</i>	Lopsided Indiangrass	Flatwoods and sandhills	Common; nearly throughout
170	Poaceae	<i>Spartina bakeri</i>	Sand Cordgrass	Brackish to freshwater marshes, flatwoods, prairies, and lake margins	Frequent; peninsula west to central panhandle
171	Poaceae	<i>Sporobolus junceus</i>	Pineywoods Dropseed	Flatwoods and sandhills	Common; nearly throughout
172	Poaceae	<i>Tripsacum dactyloides</i>	Fakahatchee Grass	River banks, hammocks, swamps, and wet, disturbed sites	Frequent; nearly throughout
173	Poaceae	<i>Tripsacum floridanum</i>	Florida Gamagrass	Rocky pinelands	Rare; Collier and Miami-Dade Cos., Monroe Co. keys
174	Poaceae	<i>Uniola paniculata</i>	Sea Oats	Coastal dunes and beaches	Common; peninsula, central and western panhandle

AQUATICS

#	Family	Scientific Name	Common Name	Habitat ^z	Region ^z
175	Alismataceae	<i>Sagittaria</i> spp.	Duck Potato, Arrowhead	Includes ponds, rivers, estuaries, swamps and ditches, but varies dependent on species	Varies; dependent on species
176	Asteraceae	<i>Boltonia</i> spp.	Doll's Daisy	Wet hammocks (<i>B. asteroides</i>) Marshes and wet disturbed sites (<i>B. diffusa</i>)	Rare; Nassau, Franklin, Gulf, and Santa Rosa Cos. (<i>B. asteroides</i>); Frequent; peninsula west to central panhandle, /Escambia Co. (<i>B. diffusa</i>)
177	Cannaceae	<i>Canna flaccida</i>	Yellow Canna	Swamps and marshes	Frequent; peninsula west to central panhandle, Santa Rosa Co.
178	Cyperaceae	<i>Scirpus</i> spp.	Bulrushes	Ponds, marshes and streams, fresh, brackish to saline, but varies dependent on species	Varies; dependent on species
179	Iridaceae	<i>Iris hexagona</i>	Prairie Blue-flag Iris	Swamps, Marshes, and wet prairies	Frequent; peninsula west to central panhandle
180	Juncaceae	<i>Juncus effusus</i>	Soft Rush	Marshes and pond margins	Frequent; nearly throughout
181	Marantaceae	<i>Thalia geniculata</i>	Thalia, Alligator Flag	Swamps and wet ditches	Frequent; peninsula west to central panhandle
182	Nymphaeaceae	<i>Nuphar advena</i>	Spatterdock, Cow Lily	Ponds, marshes, and sluggish streams	Common; nearly throughout
183	Nymphaeaceae	<i>Nymphaea odorata</i>	White Water Lily	Ponds, lakes and slow streams	Common; nearly throughout
184	Pontederiaceae	<i>Pontederia cordata</i>	Pickerelweed	Streams, marshes, ditches, ponds, and lake margins	Common; nearly throughout

^zHabitat and Region as described by Wunderlin, 2003

^yHighlighting indicates plants that student's are responsible for identifying