

FLORIDA NATIVE LANDSCAPING (ORH 3815/5817C) PLANT LIST [F=Fifield, M=Mehrhof, C=campus, GH=Greenhouse,
IRREC=Indian River Research and Education Center, MLT=Milton]

ID LIST	FAMILY	SPECIES	COMMON NAME	HABITAT	REGION	LIFE FORM	ID1	A&P	LOCATION
	Sapindaceae	<i>Acer negundo</i>	Box Elder	Floodplain forests, wet hammocks and stream banks	Occasional; northern and central peninsula west to central panhandle	tree	x		F,M,C
	Sapindaceae	<i>Acer rubrum</i>	Red Maple	Floodplain forests and swamps	Frequent; Nearly throughout	tree	x		M, MLT
	Pteridaceae	<i>Acrostichum danaeifolium</i>	Leather Fern	Brakish and freshwater marshes, swamps, river floodplains	Central and southern peninsula	fern			
	Sapindaceae	<i>Aesculus pavia</i>	Red Buckeye	Calcareous hammocks and sandhills	Frequent; northern cos. south to central peninsula	tree	x		F,M, MLT
	Poaceae	<i>Andropogon brachystachyus</i>	Shortspike Bluestem	Wet flatwoods, bogs, and pond margins	Common; peninsula west to central panhandle	grass			M
	Annonaceae	<i>Annona glabra</i>	Pond Apple	Swamps	Occasional; Brevard, Highlands, and Manatee Cos. Southward	tree			IRREC
1	Myrsinaceae	<i>Ardisia escallonioides</i>	Marlberry	Hammocks	Frequent; Flagler Co., central and southern peninsula	shrub			M, MLT
	Apocynaceae	<i>Asclepias incarnata</i>	Swamp milkweed	Swamps and wet hammocks	Occasional; peninsula	herb/ann/per/wf			M
5	Apocynaceae	<i>Asclepias perennis</i>	White Swamp Milkweed	Marshes, cypress swamps and floodplain forests	Frequent; northern cos. south to central peninsula	herb/ann/per/wf			M
3	Asteraceae	<i>Baccharis halimifolia</i>	Salt Bush, Grousel Tree	Marshes and disturbed sites	Common; nearly throughout	shrub			M, MLT
	Asteraceae	<i>Balduina angustifolia</i>	Coastalplain Honeycombhead	Sandhills, scrub, and dunes	Common, nearly throughout	annual or biennial			M, MLT
	Fabaceae	<i>Baptisia alba</i>	White Wild Indigo	Flatwoods, hammocks and riverbanks	Occasional; northern cos. south to central peninsula	wildflower			M
	Asteraceae	<i>Borrchia frutescens</i>	Sea Oxeye Daisy	Beaches and salt marshes	Common, nearly throughout	per			IRREC
	Burseraceae	<i>Bursera simaruba</i>	Gumbo Limbo	Coastal hammocks and shell middens	Occasional; central and southern peninsula	tree			IRREC
	Malpighiaceae	<i>Byrsonima lucida</i>	Locustberry	Rocky pinelands and hammocks	Rare; Miami-Dade and Monroe Cos.	shrub			IRREC
5	Lamiaceae	<i>Callicarpa americana</i>	Beautyberry	Flatwoods and hammocks	Common; nearly throughout	shrub			M, MLT
	Myrtaceae	<i>Calytranthes pallens</i>	Spicewood, Pale Lid-flower	Hammocks	Occasional; Miami-Dade Co. and Monroe Co. keys	tree			IRREC

	Bignoniaceae	<i>Campsis radicans</i>	Trumpet Creeper	Floodplain forest and disturbed sites	Common; northern cos. south to central peninsula	vine/gc	x		F, MLT
	Polypodiaceae	<i>Campyloneurum phyllitidis</i>	Long Strap Fern	Hammocks and swamps; epiphytic or sometimes on walls of limestone sinkholes	Occasional; central and southern peninsula	fern			
	Fabaceae	<i>Canavalia rosea</i>	Beach Bean, Bay Bean	Coastal strands	Frequent; Dixie Co., central and southern peninsula	vine/gc			MLT
	Canellaceae	<i>Canella winterana</i>	Cinnamon Bark	Tropical hammocks	Rare; Collier, Miami-Dade, and Monroe Cos.	tree			IRREC
3	Cannaceae	<i>Canna flaccida</i>	Yellow canna	Swamps and marshes	Frequent; peninsula west to central panhandle, Santa Rosa Co.	wildflower			M
	Asteraceae	<i>Carphephorus corymbosus</i>	Florida Paintbrush	Sandhills	Common; peninsula, west to eastern panhandle, Bay Co.	herb/ann/per/wf			
	Juglandaceae	<i>Carya glabra</i>	Pignut Hickory	Dry to mesic hammocks	Frequent; northern cos. South to central peninsula	tree	x		C, IRREC
	Cannabaceae	<i>Celtis laevigata</i>	Sugarberry; Hackberry	Floodplain forests	Frequent; nearly throughout	tree	x		MLT
	Rubiaceae	<i>Cephalanthus occidentalis</i>	Buttonbush	Swamps, cypress ponds, and lake, pond, and river margins	Common; nearly throughout	shrub			M, MLT
	Fabaceae	<i>Cercis canadensis</i>	Eastern Redbud	Mesic hammocks	Frequent; northern cos. south to Polk County	tree	x		F,M,C, MLT
	Fabaceae	<i>Chamaecrista fasciculata</i>	Partridge Pea	Sandhills, open hammocks, flatwoods, dunes, and disturbed sites	Common; nearly throughout	herb/ann/per/wf			M
4	Oleaceae	<i>Chionanthus virginicus</i>	Fringe Tree	wet hammocks and floodplain forests	Frequent, northern cos. south to central peninsula	tree	x		F,M, MLT
	Chrysobalanaceae	<i>Chrysobalanus icaco</i>	Cocoplum	Coastal hammocks and strands	Frequent; Brevard and Sarasota Cos. Southward	shrub			IRREC
	Sapotaceae	<i>Chrysophyllum oliviforme</i>	Satinleaf	Hammocks and pinelands	Occasional; Brevard Co. southward	tree			IRREC
	Asteraceae	<i>Chrysoma pauciflosculosa</i>	Woody Goldenrod	Scrub, dunes, sandhills	frequent, central and western panhandle	subshrub			MLT
	Asteraceae	<i>Chrysopsis mariana</i>	Maryland Golden Aster	Flatwoods and sandhills	Frequent; northern cos. south to central peninsula, Collier Co.	herb/ann/per/wf			
	Verbenaceae	<i>Citharexylum spinosum</i>	Fiddlewood	Pinelands and hammocks	Occasional; Brevard Co. southward along east coast, southern peninsula	tree			IRREC
	Clethraceae	<i>Clethra alnifolia</i>	Sweet Pepperbush	Acid swamps, botgs, and creek swamps	Occasional; northern cos., Lake Co.	shrub			M, MLT
1	Lamiaceae	<i>Clinopodium georgianum</i>	Georgia Calamint	Dry bluff forests	Rare; Holmes and Escambia Cos.	wildflower			M

	Clusiaceae	<i>Clusia rosea</i>	Pitch Apple	Hammocks	Rare; Miami-Dade Co. and Monroe Co. keys	tree			GH
	Polygonaceae	<i>Coccoloba diversifolia</i>	Pigeon Plum	Tropical coastal hammocks	Occasional; Brevard and Lee cos. southward	tree			IRREC
	Polygonaceae	<i>Coccoloba uvifera</i>	Sea Grape	Coastal hammocks and beach strands	Frequent; central and southern peninsula	tree			IRREC
	Combretaceae	<i>Conocarpus erectus</i>	Buttonwood	Tidal swamps	Frequent; central and southern peninsula	tree			IRREC
	Combretaceae	<i>Conocarpus erectus var. sericeus</i>	Silver Buttonwood	Tidal swamps	Frequent; central and southern peninsula	tree			IRREC
	Asteraceae	<i>Conoclinium coelestinum</i>	Ageratum, Mistflower	Floodplain forests, wet hammocks and pond margins	Common; nearly throughout	herb/ann/per/wf			MLT
	Lamiaceae	<i>Conradina grandiflora</i>	Largeflower False Rosemary	Sandhills	Rare; Liberty and Santa Rosa Cos	herb/ann/per/wf			M
	Asteraceae	<i>Coreopsis basalis</i>	Golden Mane Coreopsis	Dry, disturbed sites	Occasional; northern cos., central peninsula	herb/ann/per/wf			M
	Asteraceae	<i>Coreopsis lanceolata</i>	Lanceleaf Tickseed	Sandhills and disturbed sites	Occasional: northern cos., south to Volusia and Lake spr	per		x	M
1	Asteraceae	<i>Coreopsis leavenworthii</i>	Tickseed Coreopsis	Wet flatwoods, ditches, and disturbed sites	Common; nearly throughout	herb/ann/per/wf			M
	Cornaceae	<i>Cornus florida</i>	Flowering Dogwood	Mesic hammocks	Frequent; northern cos. south to Manatee Co.	tree	x		C, MLT
1	Cornaceae	<i>Cornus foemina</i>	Swamp Dogwood	Wet hammocks and floodplain forests	Frequent; nearly throughout.	tree	x		M, F, MLT
1	Rosaceae	<i>Crataegus flava</i>	Summer Haw	Open, upland hammocks.	Occasional; northern cos., Levy Co.	tree			M
	Amaryllidaceae	<i>Crinum americanum</i>	String Lily, Swamp Lily	Swamps, marshes, and wet hammocks	Frequent; nearly throughout	herb/ann/per/wf			
	Helianthemum	<i>Crocanthemum arenicola</i>	Coastal sand Frostweed	Sandhills, scrub, dunes	Occasional; Central and western panhandle	herb/per/gc			MLT
	Celastraceae	<i>Crossopetalum ilicifolium</i>	Quail Berry	Pinelands	Rare; Collier and Miami-Dade Cos., Monroe Co. keys	gc			IRREC
	Fabaceae	<i>Dalea feayi</i>	Feay's Prairieclover	Scrub and sandhills	Frequent; peninsula, central panhandle	herb/per			
	Sapindaceae	<i>Dodonaea viscosa</i>	Varnish Leaf	Dunes, coastal pinelands, and hammocks	Occasional; St. Johns Co., central and southern peninsula	shrub			IRREC
2	Acanthaceae	<i>Dyschoriste humistrata</i>	Swamp Twinflower	Floodplain forests	Frequent; northern and central peninsula west to central panhandle	vine/gc			GH, M
	Acanthaceae	<i>Dyschoriste oblongifolia</i>	Twin Flower	Sandhills and flatwoods	Common; Peninsula west to central panhandle	herb/ann/per/wf			M
	Asteraceae	<i>Echinacea purpurea</i>	Purple Coneflower	Openings in calcareous hammocks	Rare; Gadsden Co.	herb/ann/per/wf		x	M, MLT

	Poaceae	<i>Eragrostis elliottii</i>	Elliott's Love Grass	Flatwoods, sandhills, prairies, dry hammocks, and disturbed sites.	Common; nearly throughout	grass			M
2	Poaceae	<i>Eragrostis spectabilis</i>	Purple Lovegrass	Flatwoods, sandhills, lake shores, and disturbed sites	Frequent; nearly throughout	grass			M
	Rubiaceae	<i>Ernodea littoralis</i>	Golden Creeper, Beach Creeper	Dunes	Frequent; central and southern peninsula	vine/gc			
	Apiaceae	<i>Eryngium yuccifolium</i>	Button Rattlesnakemaster	Bogs flatwoods, and floodplain forests	Frequent, nearly throughout	herb/ann/per/wf			MLT
	Fabaceae	<i>Erythrina herbacea</i>	Coral Bean, Cherokee Bean	Hammocks	Frequent; nearly throughout	shrub	x		F,M,C, MLT
	Myrtaceae	<i>Eugenia axillaris</i>	White Stopper	Coastal hammocks, rarely inland	Frequent; central and southern peninsula	tree			IRREC
	Myrtaceae	<i>Eugenia confusa</i>	Redberry Stopper	Tropical hammocks	Rare Martin and Miami-Dade Cos., Monroe Co. keys	tree			IRREC
	Myrtaceae	<i>Eugenia foetida</i>	Spanish Stopper	Coastal hammocks and dunes	Frequent; central and southern peninsula	tree			IRREC
	Gentianaceae	<i>Eustoma exaltatum</i>	Seaside Gentian	Coastal marshes and dunes	Frequent; central and southern peninsula, Escambia Co.	herb/ann/per/wf			MLT
5	Asteraceae	<i>Flaveria linearis</i>	Yellowtop	Open coastal areas, rarely inland	Frequent; Flagler Co., central and southern peninsula, Taylor and Wakulla Cos.	herb/ann/per/wf			M
1	Oleaceae	<i>Forestiera segregata</i>	Wild Olive, Florida Privet	Coastal hammocks, marshes, shell middens, and pinelands	Frequent; peninsula, Dixie Co.	shrub			M, MLT
5	Asteraceae	<i>Gaillardia pulchella</i>	Blanket Flower, Firewheel	Disturbed sites	Frequent; nearly throughout	herb/ann/per/wf		x	M, MLT
	Asteraceae	<i>Garberia heterophylla</i>	Garberia	Sand pine - oak scrub	Frequent; northern and central peninsula	shrub			M
	Gelsemiaceae	<i>Gelsemium sempervirens</i>	Carolina Yellow Jessamine	Flatwoods and hammocks	Frequent; northern cos. South to central peninsula	vine/gc	x		F, MLT
3	Chrysobalanaceae	<i>Geobalanus oblongifolius</i>	Gopher Apple	Sandhills	Common; nearly throughout	vine/gc			M, MLT
3	Verbenaceae	<i>Glandularia maritima</i>	Beach Verbena, Coastal Mock Vervain	Dunes and coastal pinelands	Occasional; Flagler Co. central and southern peninsula, mainly along the east coast	herb/ann/per/wf			M
	Verbenaceae	<i>Glandularia tampensis</i>	Tampa Verbena, Tampa Mock Vervain	Clearings in moist hammocks	Occasional; central peninsula	herb/ann/per/wf			IRREC
	Malvaceae	<i>Gossypium hirsutum</i>	Wild Cotton	Coastal hammocks, beaches, or disturbed sites	Occasional; Gilchrist Co., central and southern peninsula	shrub			IRREC

	Zygophyllaceae	<i>Guaiacum sanctum</i>	Lignum vitae	Hammocks	Rare; Monroe Co. Keys where native, Miami-Dade Co. where escaped from cultivation	tree			IRREC
	Nyctaginaceae	<i>Guapira discolor</i>	Blooly	Tropical hammocks and pinelands	Occasional; Brevard Co. southward	tree			IRREC
3	Rubiaceae	<i>Hamelia patens</i>	Firebush	Coastal hammocks and shell middens, rarely inland	Frequent; central and southern peninsula	shrub	x		F, M, MLT
4	Asteraceae	<i>Helianthus angustifolius</i>	Swamp Sunflower, Narrow-leaf Sunflower	Marshes, wet flatwoods, and disturbed sites	Frequent; northern cos. South to central peninsula	herb/ann/per/wf			M
4	Asteraceae	<i>Helianthus debilis</i>	East Coast Dune Sunflower	Coastal dunes	Frequent; eastern peninsula	herb/ann/per/wf			F, M
	Asteraceae	<i>Helianthus radula</i>	Rayless Sunflower	Wet flatwoods	Frequent; nearly throughout	herb/ann/per/wf			MLT
2	Boraginaceae	<i>Heliotropium angiospermum</i>	Scorpion's Tail	Hammocks, shell middens, and disturbed sites	Frequent; central and southern peninsula	herb/ann/per/wf			M
	Malvaceae	<i>Hibiscus coccineus</i>	Red Star Hibiscus, Scarlet Rosemallow	Swamps	Occasional; peninsula, central panhandle, Okaloosa Co.	shrub	x		F,M
	Hydrangeaceae	<i>Hydrangea quercifolia</i>	Oakleaf Hydrangea	Bluff forests and wooded ravines, often along stream banks	Occasional; Marion Co., central and western panhandle	shrub	x		F,M, MLT
	Amaryllidaceae	<i>Hymenocallis latifolia</i>	Spider Lily	Coastal dunes and swales, mangrove swamps, sand ridges and flatwoods	Frequent; central and southern peninsula	herb/ann/per/wf			IRREC
3	Clusiaceae	<i>Hypericum tenuifolium</i>	Atlantic St. John's Wort, Scrubwort	Sandhills and scrub	Frequent; peninsula, central and western panhandle	shrub			M, MLT
	Aquifoliaceae	<i>Ilex attenuata 'East Palatka'</i>	East Palatka Holly	Hybrid origin between <i>I. cassine</i> and <i>I. opaca</i>		tree	x		F, MLT
	Aquifoliaceae	<i>Ilex attenuata 'Savannah'</i>	Savannah Holly	Hybrid origin between <i>I. cassine</i> and <i>I. opaca</i>		tree	x		F
	Aquifoliaceae	<i>Ilex cassine</i>	Dahoon Holly	Flatwoods, wet hammocks, swamps, and pond margins	Common; nearly throughout	tree	x		F, MLT
3	Aquifoliaceae	<i>Ilex glabra</i>	Gallberry, Inkberry	Flatwoods, bogs, and coastal swales	Common; nearly throughout	shrub			M, MLT
	Aquifoliaceae	<i>Ilex opaca</i>	American Holly	Mesic hammocks	Occasional; northern cos. south to central peninsula	tree	x		F, MLT
	Aquifoliaceae	<i>Ilex vomitoria</i>	Yaupon Holly	Hammocks, swamps, flatwoods, and dunes	Frequent; Northern cos. South to central peninsula	tree	x		F, GH, MLT
	Illiciaceae	<i>Illicium floridanum</i>	Florida Anise	Seepage and creek swamps	Occasional; central and western panhandle	shrub	x		F,M, MLT

	Illiciaceae	<i>Illicium parviflorum</i>	Yellow Anise	Wet hammocks and swamps	Rare; Marion and Volusia cos. South to Polk Co.	shrub	x		F,M,C, MLT
	Convolvulaceae	<i>Ipomoea imperati</i>	Beach Morning Glory	Beaches	Frequent; peninsula, central and western panhandle	vine/gc			MLT
	Convolvulaceae	<i>Ipomoea pes-caprae</i> subsp. <i>brasiliensis</i>	Railroad Vine	Beaches	Frequent; peninsula, central panhandle	vine/gc			MLT
	Iteaceae	<i>Itea virginica</i>	Virginia Sweetspire	Swamps, streams banks, wet hammocks, and floodplain forests	Common; nearly throughout	shrub			M, MLT
	Asteraceae	<i>Iva imbricata</i>	Seaside Elder	Coastal dunes	Frequent; peninsula, central and western panhandle.	shrub			MLT
	Convolvulaceae	<i>Jacquemontia pentanthos</i>	Key West Morning Glory, Sky Blue Clustervine	Hammocks	Rare	vine/gc			
	Cupressaceae	<i>Juniperus virginiana</i>	Red Cedar, Eastern Red Cedar	Hammocks, coastal beaches, shell mounds	Frequent; northern cos. South to central peninsula, Miami-Dade Co.	tree	x		F, M, MLT
1	Verbenaceae	<i>Lantana depressa</i> var. <i>depressa</i>	Pineland Lantana	Rocky pinelands	Rare; Miami-Dade Co.	shrub			M
1	Verbenaceae	<i>Lantana involucrata</i>	Wild Lantana, Wild Sage	Coastal hammocks and dunes	Occasional; central and southern peninsula	shrub			M
	Asteraceae	<i>Liatris gracilis</i>	Slender blazing-star	Sandhills and flatwoods	Common; nearly throughout	herb/ann/per/wf			
	Asteraceae	<i>Liatris spicata</i>	Blazing Star	Sandhills and flatwoods	Occasional; nearly throughout	herb/ann/per/wf			M
	Asteraceae	<i>Liatris tenuifolia</i>	Shortleaf Blazing Star	Sandhills and open hammocks	Common nearly throughout	herb/ann/per/wf			
	Altingiaceae	<i>Liquidambar styraciflua</i>	American Sweetgum	Moist to wet hammocks, bluff forests, and floodplain forests	Frequent; northern cos. South to central peninsula	tree	x		F,M,C, MLT
	Magnoliaceae	<i>Liriodendron tulipifera</i>	Tuliptree	Mesic hammocks	Occasional; northern peninsula south to Pasco Co., central and western panhandle	tree	x		F,C, MLT
	Campanulaceae	<i>Lobelia cardinalis</i>	Cardinal Flower	Floodplains forests and spring runs	Occasional; northern cos. south to Hillsborough Co.	herb/ann/per/wf			M
	Caprifoliaceae	<i>Lonicera sempervirens</i>	Coral Honeysuckle	Floodplain forests and hammocks	Common; northern cos. south to central peninsula	vine/gc	x		F,M, GH, MLT
	Solanaceae	<i>Lycium carolinianum</i>	Christmas Berry	Salt marshes and salt flats	Frequent; peninsula west to central panhandle	shrub			IRREC
	Ericaceae	<i>Lyonia ferruginea</i>	Rusty Lyonia, Rusty Staggerbush	Scrub and scrubby flatwoods	Frequent; northern cos. South to central peninsula	shrub			M
	Ericaceae	<i>Lyonia lucida</i>	Fetterbush	Flatwoods, bogs and cypress ponds	Common, nearly throughout	shrub			M
	Fabaceae	<i>Lysiloma latisiliquum</i>	Wild Tamarind	Pinelands, hammocks, and coastal strands	Occasional; Collier, Miami-Dade, and Monroe Cos.	tree			IRREC

	Magnoliaceae	<i>Magnolia grandiflora</i>	Southern Magnolia	Wet to mesic hammocks, rarely dunes	Frequent; northern cos. South to central peninsula	tree	x		F,M,C, MLT
5	Magnoliaceae	<i>Magnolia virginiana</i>	Sweetbay	Wet hammocks, bayheads, swamps, and bogs	Common; nearly throughout	tree			M, MLT
	Asteraceae	<i>Melanthera nivea</i>	Snow squarestem, salt & pepper	Moist to dry hammocks, flatwoods and beaches	Common; nearly throughout	herb/ann/per/wf			M
	Melastomataceae	<i>Miconia bicolor</i>	Florida Tetrazygia, West Indies Lilac	Tropical hammocks and pinelands	Frequent; Miami-Dade Co.	shrub			IRREC
2	Fabaceae	<i>Mimosa strigillosa</i>	Mimosa, Sensitive Plant	Open, usually disturbed sites	Occasional; northern and central peninsula, west to central panhandle	vine/gc			M, MLT
3	Lamiaceae	<i>Monarda punctata</i>	Monarda, Horsemint	Flatwoods and dry, disturbed sites	Frequent; northern cos. South to central peninsula Collier Co.	herb/ann/per/wf			M, MLT
	Myricaceae	<i>Morella cerifera</i>	Southern Wax Myrtle	Hammocks, swamps, cypress domes, flatwoods, upland mixed forests, and fresh to slightly brackish marshes	Common; nearly throughout	tree	x		F,M,C, MLT
2	Poaceae	<i>Muhlenbergia capillaris</i>	Pink Muhlygrass, Muhly grass	Flatwoods and Marshes	Frequent; nearly throughout, mainly coastal areas	grass			M, MLT
2	Myrtaceae	<i>Myrcianthes fragrans</i>	Simpson's Stopper; Twinberry	Coastal hammocks, rarely inland	Occasional; St. Johns Co., central and southern peninsula	shrub	x		F,M, GH, MLT
	Myrsinaceae	<i>Myrsine cubana</i>	Myrsine	Hammocks, primarily coastal	Frequent; Dixie Co. central and southern peninsula	shrub			IRREC
	Nephrolepidaceae	<i>Nephrolepis biserrata</i>	Giant Sword Fern	Swamps and wet hammocks, sometimes epiphytic	Occasional; central and southern peninsula	fern			M
5	Nephrolepidaceae	<i>Nephrolepis exaltata</i>	Wild Boston Fern, Sword Fern	Wet hammocks and swamps; often epiphytic	Common; central and southern peninsula, Duval, Suwannee and Leon Cos.	fern			M
	Lamiaceae	<i>Ocimum campechianum</i>	Wild Sweet Basil	Rockland hammocks and pine rocklands	Occasional: southern peninsula	herb/ann/per/wf			M
	Cactaceae	<i>Opuntia humifusa</i>	Eastern Prickly Pear	Sandhills, dry open hammocks and scrub	Common; nearly throughout	herb/ann/per/wf			
	Osmundaceae	<i>Osmunda cinnamomea</i>	Cinnamon Fern	Swamps, bogs, and marshes	Common; nearly throughout	fern			M, MLT
	Osmundaceae	<i>Osmunda regalis var. spectabilis</i>	Royal Fern	Swamps, bogs, and marshes	Common; nearly throughout	fern			
	Caryophyllaceae	<i>Paronychia erecta</i>	Squareflower	Dunes and dry, open, sandy sites	Occasional; central and western panhandle	per			MLT

	Passifloraceae	<i>Passiflora incarnata</i>	Purple passionflower	Dry open hammocks and disturbed sites	Frequent; nearly throughout	herb/ann/per/wf			MLT
5	Passifloraceae	<i>Passiflora suberosa</i>	Corky-stemmed Passion-flower	Hammocks and shell middens	Frequent; peninsula, Dixie Co.	vine/gc			M
	Acanthaceae	<i>Penstemon australis</i>	Eustis Lake Beardtongue	Sandhills, flatwood, and open hammocks	Frequent: northern cos. South to Polk Co.	herb/ann/per/wf			M
	Veronicaceae	<i>Penstemon multiflorus</i>	Many-flowered Beardtongue, White Penstemon	Sandhills and flatwoods	Frequent; nearly throughout	herb/ann/per/wf			M
	Apocynaceae	<i>Pentalinon luteum</i>	Wild Allamanda	Mangroves and coastal hammocks	Occasional; St. Lucie, Martin, Palm Beach and Lee Cos. southern peninsula	vine/gc			
	Lauraceae	<i>Persea borbonia</i>	Redbay	Wet to dry hammocks	Frequent; nearly throughout	tree			MLT
	Lauraceae	<i>Persea palustris</i>	Swamp Bay	Wet hammocks and swamps	Common; nearly throughout	tree	x		C
	Polypodiaceae	<i>Phlebodium aureum</i>	Golden Polypody, Serpent Fern	Hammocks and swamps; epiphytic, often on Sabal palmetto, rarely terrestrial	Frequent; peninsula, Dixie and Franklin Cos.	fern			
	Polemoniaceae	<i>Phlox divaricata</i>	Florida Phlox	Calcareous hammocks	Rare; Gadsden, Liberty, and Jackson	herb/ann/per/wf			
2	Verbenaceae	<i>Phyla nodiflora</i>	Turkey Tangle Fogfruit	beaches, hammocks and disturbed sites	Common nearly throughout	herb/ann/per/wf			M
	Lamiaceae	<i>Physostegia purpurea</i>	False Dragonhead, Obedient Plant	Marshes and swamps	Frequent; peninsula west to central panhandle	herb/ann/per/wf			
	Picramniaceae	<i>Picramnia pentandra</i>	Bitterbush	Hammocks	Rare; Miami-Dade Co.	shrub			
	Pinaceae	<i>Pinus elliotii</i>	Slash Pine	Flatwoods	Common; nearly throughout	tree	x		F,M, C, MLT
	Pinaceae	<i>Pinus glabra</i>	Spruce Pine	Moist mixed hammocks and bluffs	Frequent; northern cos.	tree	x		F,C, MLT
	Pinaceae	<i>Pinus palustris</i>	Longleaf Pine	Sandhills, mesic flatwoods and savannas	Common; northern cos. south to central peninsula	tree	x		F,M,C, MLT
	Fabaceae	<i>Pithecellobium keyense</i>	Florida Keys Blackbead	Coastal hammocks and strands	Occasional; Martin and Palm Beach Cos., southern peninsula	shrub			
3	Asteraceae	<i>Pityopsis graminifolia</i>	Silkgrass, Silver-leaved Aster, Golden Aster	Scrub and sandhills	Common; nearly throughout	herb/ann/per/wf			M, MLT
	Platanaceae	<i>Platanus occidentalis</i>	American Sycamore	Floodplain forests	Occasional; northern cos., Lee Co. where introduced.	tree	x		F,C, MLT
	Plumbaginaceae	<i>Plumbago zeylanica</i>	Leadwort, Doctorbush	Coastal hammocks	Occasional; central and southern peninsula	shrub			IRREC
	Rosaceae	<i>Prunus angustifolius</i>	Chickasaw Plum	Dry open hammocks and disturbed sites	Occasional; northern cos. south to central peninsula	tree	x		F,M, C

	Arecaceae	<i>Pseudophoenix sargentii</i>	Buccaneer Palm, Sargent's Cherry Palm	Coastal thickets on limestone	Rare; Miami-Dade Co. and Monroe Co. keys	palm/cycad			
	Rubiaceae	<i>Psychotria ligustrifolia</i>	Bahama Wild Coffee, Privetleaf Wild Coffee	Rocky hammocks and Pinelands	Rare; Miami-Dade Co. and Monroe Co. keys.	shrub			M
1	Rubiaceae	<i>Psychotria nervosa</i>	Wild Coffee	Hammocks	Common; Peninsula	shrub			M
	Rubiaceae	<i>Psychotria sulzneri</i>	Velvetleaf Wild Coffee, Soft leaf Wild Coffee	Hammocks	Frequent; central and southern peninsula	shrub			M
	Dennstaedtiaceae	<i>Pteridium aquilinum</i>	Bracken Fern	Dry to moist, open hammocks, flatwoods, thickets and scrub	Varies; dependent on variety	fern			MLT
	Brassicaceae	<i>Quadrilla jamaicensis</i>	Jamaican Caper	Coastal hammocks and shell middens	Frequent; central and southern peninsula	shrub			IRREC
	Fagaceae	<i>Quercus laurifolia</i>	Laurel Oak; Diamond Oak	Floodplain forests, wet to dry hammocks	Common; nearly throughout	tree	x		F, C, MLT
	Fagaceae	<i>Quercus michauxii</i>	Swamp Chestnut Oak	Mesic calcareous hammocks	Occasional; northern cos. south to Lake and Hernando cos.	tree	x		F,C, MLT
5	Fagaceae	<i>Quercus myrtifolia</i>	Myrtle Oak	Sandhills, oak scrub, flatwoods, coastal dunes	Common; nearly throughout	tree			M, MLT
	Fagaceae	<i>Quercus shumardii</i>	Shumard's Oak	Wet, rocky hammocks and floodplain forests	Occasional; northern peninsula south to Citrus and Volusia cos., west to central panhandle	tree	x		F, M, C, MLT
	Fagaceae	<i>Quercus virginiana</i>	Live Oak	Moist to wet hammocks and maritime hammocks	Frequent; nearly throughout	tree	x		F, M, C, MLT
	Rubiaceae	<i>Randia aculeata</i>	White Indigo Berry	Coastal hammocks	Frequent; central and southern Peninsula	shrub			IRREC
	Arecaceae	<i>Rhapidophyllum hystrix</i>	Needle Palm	Wet to mesic hammocks	Occasional; northern cos. south to Highlands Co.	palm/cycad	x		F, MLT
	Ericaceae	<i>Rhododendron austrinum</i>	Florida Flame Azalea	Hammocks and floodplain forests	Occasional; Baker co., central and western panhandle.	shrub			M, F
5	Ericaceae	<i>Rhododendron canescens</i>	Florida Pinxter Azalea	Flatwoods, bay swamps, hammocks, and floodplain forests	Frequent; northern cos. south to Marion co.	shrub			F, MLT
		<i>Rhus copallinum</i>	Winged Sumac						MLT
	Cyperaceae	<i>Rhynchospora colorata</i>	White Topped Sedge, Starrush Whitetop	Moist flatwoods and prairies, bogs, and ditches	Common; nearly throughout	grass			
2	Phytolaccaceae	<i>Rivina humilis</i>	Rougeplant	Hammocks	Frequent; Peninsula	shrub			M
	Arecaceae	<i>Roystonea regia</i>	Florida Royal Palm	Swamps and cypress sloughs	Rare; Palm Beach, Collier and Miami-Dade Cos.	palm/cycad			

	Asteraceae	<i>Rubeckia laciniata</i>	Cutleaf Coneflower	Moist, open hammocks and floodplains	Rare: Levy Co., central panhandle, Walton Co.	herb/ann/per/wf			M
	Asteraceae	<i>Rudbeckia fulgida</i>	Orange Coneflower	Flatwoods and rocky hammocks	Occasional; eastern and central panhandle	wildflower			M
4	Asteraceae	<i>Rudbeckia hirta</i>	Black-eyed Susan	Sandhills, flatwoods, and open disturbed sites	Common; nearly throughout	herb/ann/per/wf	x		M
	Asteraceae	<i>Rudbeckia mohrii</i>	Mohr'l Susan	Wet flatwoods and cypress swamps.	Occasional; eastern and central panhandle	herb/ann/per/wf			M
2	Acanthaceae	<i>Ruellia caroliniensis</i>	Wild Petunia	Sandhills, flatwoods, and hammocks	Common; nearly throughout	herb/ann/per/wf			M, MLT
	Arecaceae	<i>Sabal etonia</i>	Scrub Palmetto	Scrub	Frequent; peninsula	palm/cycad			
	Arecaceae	<i>Sabal minor</i>	Dwarf Palmetto	Moist to wet hammocks	Frequent; northern cos. South to central peninsula	palm/cycad	x		F,C, MLT
	Arecaceae	<i>Sabal palmetto</i>	Sabal Palmetto, Cabbage Palm	Savannas, hammocks, and swamps	Common; nearly throughout	palm/cycad	x		F,C, MLT
4	Lamiaceae	<i>Salvia coccinea</i>	Tropical Sage	Hammocks and disturbed sites	Frequent; nearly throughout	herb/ann/per/wf			M, GH
	Lamiaceae	<i>Salvia lyrata</i>	Lyre-leaf Sage	Hammocks	Common; northern cos. south to central peninsula, Collier Co.	herb/ann/per/wf			M, MLT
	Lamiaceae	<i>Salvia misella</i>	Southern river sage, Creeping sage	Hammocks	Rare; Alachua Co.	herb/ann/per/wf			M
	Adoxaceae	<i>Sambucus nigra</i> subsp. <i>canadensis</i>	Elderberry	Wet open hammocks, floodplain forests, swamps, disturbed sites	Common, nearly throughout	shrub			MLT
	Lauraceae	<i>Sassafras albidum</i>	Sassafras	Mesic hammocks	Occasional; northern cos. south to Hillsborough Co.	shrub			M
	Goodeniaceae	<i>Scaevola plumieri</i>	Inkberry	Coastal strands	Frequent; central and southern peninsula	shrub			IRREC
4	Lamiaceae	<i>Scutellaria integrifolia</i>	Helmet Skullcap	Sandhills, flatwoods, and moist hammocks	Frequent; northern cos. South to central peninsula.	herb/ann/per/wf			GH, M
3	Fabaceae	<i>Senna ligustrina</i>	Privetleaf Senna	Hammocks and disturbed sites	Frequent; central and southern peninsula	shrub			M
	Fabaceae	<i>Senna mexicana</i> var. <i>chapmanii</i>	Chapman's Senna	Pinelands, hammocks, and dunes	Occasional; Miami-Dade Co. and Monroe Co. keys	shrub			M
	Arecaceae	<i>Serenoa repens</i>	Saw Palmetto	Wet to dry flatwoods and hammocks	Common; nearly throughout	palm/cycad	x		F,C, MLT
	Aizoaceae	<i>Sesuvium portulacastrum</i>	Sea Purslane	Dunes, brackish marshes, and salt flats	Frequent; peninsula, central and western panhandle	vine/gc			
	Sapotaceae	<i>Sideroxylon tenax</i>	Tough Bumelia	Sandhills, scrub, and coastal hammocks	Frequent; peninsula	shrub			M
5	Asteraceae	<i>Silphium asteriscus</i>	Starry Rosinweed	Sandhills	Occasional; panhandle, western central peninsula	herb/ann/per/wf			M
	Asteraceae	<i>Silphium compositum</i>	kidneyleaf rosinweed	Flatwoods	Occasional; northern cos. South to Paco Co.	herb/ann/per/wf			

	Simaroubaceae	<i>Simarouba glauca</i>	Paradise Tree, Bitterwood	Coastal hammocks	Rare; Brevard Co. southward along the east coast, southern peninsula	tree			IRREC
4	Iridaceae	<i>Sisyrinchium angustifolium</i>	Blue-eyed Grass	Wet, grassy flatwoods, wet prairies, and fields	Common; nearly throughout	herb/ann/per/wf			M
	Asteraceae	<i>Solidago sempervirens</i>	Seaside Goldenrod	Dunes and tidal marshes, Rarely inland	Common; peninsula, central and western panhandle	herb/ann/per/wf			M, MLT
	Asteraceae	<i>Solidago stricta</i>	Wand goldenrod	Flatwoods, sandhills, bogs and tidal marsh margins	Common; nearly throughout	herb/ann/per/wf			M
	Fabaceae	<i>Sophora tomentosa</i> var. <i>truncata</i>	Necklace pod	Coastal strands and hammocks	Frequent; central and southern peninsula	shrub			IRREC, GH
	Poaceae	<i>Sorghastrum secundum</i>	Lopsided Indiangrass	Flatwoods and sandhills	Common; nearly throughout	grass			M
	Poaceae	<i>Spartina bakeri</i>	Sand Cordgrass	Brackish to freshwater marshes, flatwoods, prairies, and lake margins	Frequent; peninsula west to central panhandle	grass			
	Poaceae	<i>Sporobolus junceus</i>	Pineywoods Dropseed	Flatwoods and sandhills	Common; nearly throughout	grass			
	Verbenaceae	<i>Stachytarpheta jamaicensis</i>	Blue Porterweed	Dunes, shell middens, pine rocklands and disturbed sites	Occasional; Central and southern peninsula	shrub			M
	Asteraceae	<i>Stokesia laevis</i>	Stokes' Aster, Stokesia	Wet flatwoods and savannas, bogs, and seepage areas	Occasional; Nassau Co., central and western panhandle	herb/ann/per/wf		x	M,MLT
	Surianaceae	<i>Suriana maritima</i>	Bay Cedar	Coastal beaches and dunes	Occasional; Pinellas and Indian River cos. Southward along the coast, southern peninsula	shrub			IRREC
	Meliaceae	<i>Swietenia mahogany</i>	West Indian Mahogany	Coastal hammocks	Rare; Broward, Miami-Dade, and Monroe Cos.	tree			IRREC
	Asteraceae	<i>Symphotrichum carolinianum</i>	Climbing Aster	Swamps and riverbanks	Common; peninsula, west to central panhandle	vine/gc			M
	Cupressaceae	<i>Taxodium ascendens</i>	Pond Cypress	Flatwood pond and lake margins	Common; nearly throughout	tree			C, M, F, MLT
	Cupressaceae	<i>Taxodium distichum</i>	Bald Cypress	Lakes, swamps, floodplains, and along streams	Common; nearly throughout	tree		x	F,M,C, MLT
	Arecaceae	<i>Thrinax morrisii</i>	Key Thatch Palm, Brittle Thatch Palm	Hammocks	Rare; Miami-Dade and Monroe Cos.	palm/cycad			
	Arecaceae	<i>Thrinax radiata</i>	Florida Thatch Palm	Coastal thickets on limestone	Rare; Collier, Miami-Dade, and Monroe Cos.	palm/cycad			IRREC
	Malvaceae	<i>Tilia americana</i> var. <i>caroliniana</i>	Carolina Basswood	Moist hammocks	Frequent; northern cos. South to central peninsula	tree			
4	Commelinaceae	<i>Tradescantia ohiensis</i>	Spiderwort	Open disturbed sites	Frequent; northern cos. south to central peninsula	herb/ann/per/wf			M

	Lamiaceae	<i>Trichostema dichotomum</i>	Forked Blue Curls	Sandhills, flatwoods, and open hammocks	Common:nearly throughout	herb/ann/per/wf			M, MLT
	Poaceae	<i>Tridens flavus</i>	Purple Top	Flatwoods, pine-oakwoods and disturbed sites	Common; nearly throughout	grass			
	Poaceae	<i>Tripsacum dactyloides</i>	Fakahatchee Grass	River banks, hammocks, swamps, and disturbed sites	Frequent; nearly throughout	grass			MLT
2	Poaceae	<i>Tripsacum floridanum</i>	Florida Gamagrass	Rocky pinelands	Rare; Collier and Miami-Dade Cos., Monroe Co. keys	grass			MLT
	Ulmaceae	<i>Ulmus alata</i>	Winged Elm	Moist to wet hammocks	Occasional; northern cos. South to Pasco Co.	tree	x		F,M,C, MLT
	Ulmaceae	<i>Ulmus americana</i> var. <i>floridana</i>	American Elm	Floodplain forests	Frequent; northern cos. South to central peninsula, Collier Co.	tree			MLT